

Notice of Allowability

Application No.

10/517,202

Examiner

Joseph Saunders

Applicant(s)

MEHR, ULRİK

Art Unit

2615

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment after final filed 11 July 2007.
2. ☒ The allowed claim(s) is/are 1 and 3.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national-stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Richard Tushin on August 6, 2007.

The application has been amended as follows: In the amendment filed December 14, 2006 replace claim 1 as follows and cancel claim 4.

Claim 1: Suspension tube for a transducer, said suspension tube functioning as a sound-guide for directing sound between the transducer and an external cabinet of a hearing aid device, wherein the suspension tube has means for forming a connection with an inlet/outlet of the transducer at a first end and means for forming a connection with a wall of the external cabinet of the hearing aid device at a second end in order to guide sound through the suspension tube, where an intermediate part of the suspension tube in a length direction has alternating wide and narrow parts, including at least two consecutive sections, each comprising a wide and a narrow part, where the consecutive sections are shaped to have unlike resonance frequencies, wherein the wide and narrow parts are shaped as circumferentially extending bellows, and wherein a material thickness of the suspension tube does not vary between the connection with the inlet/outlet of the transducer and the connection with the wall of the external cabinet.

Allowable Subject Matter

2. The following is an examiner's statement of reasons for allowance: Claim 1 is allowable over the prior art since the cited references taken individually or in combination fails to particularly disclose a suspension tube for a hearing aid device including at least two consecutive sections, each comprising a wide and a narrow part, where the consecutive sections are shaped to have unlike resonance frequencies. The closest prior art on record, Gore et al. (US 4,620,605) discloses a suspension tube for a hearing aid however does not disclose the tube including at least two consecutive sections, each comprising a wide and a narrow part, where the consecutive sections are shaped to have unlike resonance frequencies. Therefore, Gore et al. and likewise the other references on record do not disclose the above patentably distinct limitations of claim 1 and it would not have been obvious to one of ordinary skill in the art at the time of the invention to modify the prior art to include all of the limitations required by the suspension tube of the hearing aid device as required by claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2615

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph Saunders whose telephone number is (571) 270-1063. The examiner can normally be reached on Monday - Thursday, 9:00 a.m. - 4:00 p.m., EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sinh Tran can be reached on (571) 272-7564. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



JS
August 8, 2007



SINH TRAN
SUPERVISORY PATENT EXAMINER